

ENSEMBLE HD™ HOME CINEMA SYSTEM



Award-winning system of your dreams.

Fast, easy installation

- Everything you need to transform virtually any room in your home in as little as four hours
- Pre-programmed, universal remote allows users to activate the entire system at the push of a single button
- Pre-optimized system provides jaw-dropping performance right out of the box

A hallmark of design

- Sleek design and soft white finish for easy integration into any décor
- Remote-controlled, motorized screen allows for dual room use
- 100-inch electric screen disappears at the push of a button

Not just for movies

• Enjoy TV, sports, video games, family memories and more

Affordably priced


- Ensemble HD™ 720 by Epson with PowerLite® Home Cinema 720p projector: \$4,999
- Ensemble HD 1080 by Epson with PowerLite Home Cinema 1080p projector: \$6,999

Unrivaled innovation

• Among the system's key innovations is its one-of-a-kind, integrated sound system. Developed in coordination with Atlantic Technology, a world-renowned leader in multi-channel speaker systems, all front channel speakers are hidden within the system's 100-inch, 16:9, motorized screen. The surround sound speakers are discreetly hidden in the projector's integrated speaker cradle. This unprecedented innovation ensures the highest quality sound without the usual hassle and obtrusiveness of typical speaker systems.



POWERFUL PERFORMANCE.





100" electric screen with integrated LCR speakers



AV controller with built-in DVD and 1080p HDMI output



Epson PowerLite Home Cinema 1080p projector with integrated surround sound speaker cradle (also available with a Home Cinema 720p projector)



LCD remote control



10" subwoofer with 5.1 channels of amplification





Features and Specifications

720p Projector Specifications

Model	PowerLite Home Cinema 720p
Projection System	Epson 3LCD technology
Resolution	Native 720p (1280 x 720), 16 x 9
Contrast	Up to 10,000:1 (in Dynamic Mode)
Brightness	Up to 1600 lumens (in Dynamic Mode)
Throw Distance	100" (wide: 10.5' – tele: 22')
Lens Shift Range	Vertical +/-100%, Horizontal +/- 50%
Video Compatibility	HDMI, component, S-video, composite
Dimensions (W x D x H)	16" x 12.2" x 4.9"
Weight (ea)	11.9 lb

1080p Projector Specifications

Model	PowerLite Home Cinema 1080p
Projection System	Epson 3LCD technology
Resolution	Native 1080p (1920 x 1080), 16 x 9
Contrast	Up to 12,000:1 (Dynamic Mode)
Brightness	Up to 1200 lumens (Dynamic Mode)
Throw Distance	100" (wide: 12' – tele: 20.9')
Lens Shift Range	Vertical +/- 96%, Horizontal +/- 47%
Video Compatibility	HDMI, component, S-video, composite
Dimensions (W x D x H)	16" x 12.2" x 4.9"
Weight (ea)	12.3 lb

Audio/Video Controller with Built-in DVD

Audio/Video Capabilities	DVD/CD player; FM/AM tuner
Surround Sound Processing	Dolby® Digital Surround, DTS 5.1, Dolby Pro Logic, and
	Dolby Pro Logic IIx (for cinema, music, and games)
Video Processing	Pixelworks® chipset upscales all inputs to 1080p
AV Inputs	(2) HDMI, component, composite, S-video Digital audio (HDMI, optical, coax)
AV Outputs	HDMI (video) (upscaled to 1080p) DB15 (audio)
System Remote Control	LCD backlit display, programmable
Dimensions (W x D x H)	13.5" x 10.5" x 4"
Weight	7.5 lb

100"	(16:9)	Electric	Screen	with Built-i	in Front	Speakers
------	--------	----------	--------	--------------	----------	----------

Screen Size (Nominal Diagonal)	TOU (HDTV format 16:9)
Screen Material	1.0 gain super white
Additional Black Drop	12" black screen drop length
Installation	Supports wall or ceiling installation
Speakers	
Left/Right	(1) 4.5" midrange, (1) 1" titanium horn tweeter
Center	(1) 4.5" midrange, (1) 1" titanium horn tweeter
Frequency Response	75 Hz $-$ 20 kHz \pm 3 dB
Nominal Impedance	8 Ohms
Sensitivity	89 dB
Screen Dimensions w/ Grilles (W x D x H)	100" x 9.5" x 5"
Weight	76 lb

Powered Subwoofer Specifications

туре	Sealed effclosure, front-filling
Bass Driver	10" (254 mm) long-throw
Frequency Response	32-250 Hz, +/- 3 dB
Amplifier Power	150 W (RMS)
Peak Output	105 dB in 2000 cu. ft.
	Vertical +/- 96%, Horizontal +/- 47%
Built-in 5.1 Amplifier w/ EQ	
Output Power	(150 x 1 sub) (50 x 1 center) (35 x 4 LR/SrSI)
Frequency Response	32 – 31 kHz
Boundary Controls	Five pre-programmed EQs manually selected based on screen installation location on either wall or ceiling
Sub Acoustic Adjustment	Manual rotary control varies frequency and gain
Anti-boom Circuitry	Smooths room induced base peak
Dimensions (W x D x H)	14.9" x 16.1" x 18.0"

Surround Sound Speakers in Integrated Speaker Cradle

Carrouna Counta Opoditoro in integratou Opoditor Craulo		
Speaker Mounting	Side/reflective surround; also removable for corner wall/ceiling installation	
Туре	4" coaxial speaker	
Frequency Response	50 – 16 kHz	
Amplifier Power	70 W total power (RMS)	
Dimensions (W x D x H)	26.9" x 6.4" x 12.7" (complete projector mount)	
Weight	15 lb	

65 lb

Epson America, Inc. 3840 Kilroy Airport Way, Long Beach, CA 90806 Epson Canada, Ltd.

3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5

Weight