

**EPSON**<sup>®</sup>  
EXCEED YOUR VISION



Projected image simulated

## Pro Cinema 6030UB 2D/3D 1080p 3LCD Projector



### Elite 2D and 3D high-definition home cinema projector with ISF calibration tools, THX certification, and Ultra Black levels.

**Up to 3x Brighter Colors<sup>1</sup>, and reliable performance** — 3LCD, 3-chip technology

**One measurement of brightness is not enough** — look for both high color brightness and high white brightness.

The Pro Cinema 6030UB has:

Color Brightness: 2400 lumens<sup>2</sup>

White Brightness: 2400 lumens<sup>2</sup>

**Full HD 1080p, widescreen performance** — for movies, games and more — up to 300" on virtually any wall or screen

**Exquisite detail** — up to 600,000:1 contrast ratio, plus auto iris in 2D and 3D

**Optimize your image** — built-in color modes for different content and settings; includes new Classic Black-and-White Cinema Mode

**Stunning picture uniformity** — view images the way filmmakers intended with the state-of-the-art Fujinon<sup>®</sup> lens

**Place the projector virtually anywhere** — 2.1x zoom and the widest horizontal lens shift available for greater flexibility

**Advanced video quality** — THX mode and ISF calibration tools to ensure exceptional video performance

**New Classic Black-and-White Cinema Mode** — ideal for rendering black-and-white hues as the original filmmakers intended

**Get the full picture** — Anamorphic Widescreen Mode eliminates black bars (anamorphic lens sold separately)

**Exciting 2D/3D adventures** — eye-popping 3D entertainment at home with the included RF 3D glasses

**Versatile connectivity** — two HDMI ports, RS-232, and more, for all your favorite devices

**Stress-free setup** — built-in tools give you a perfectly aligned image in seconds

**Outstanding support** — three-year limited warranty; two-business-day replacement with free shipping

# Pro Cinema 6030UB 2D/3D 1080p 3LCD Projector

## Elite 2D and 3D high-definition home cinema projector with ISF calibration tools, THX certification, and Ultra Black levels.

The ultimate home cinema experience — immerse yourself in stunning 2D and 3D images, in Full HD 1080p, with the Pro Cinema 6030UB. Images are always rich and brilliant with 2400 lumens of color brightness and 2400 lumens of white brightness<sup>2</sup>. View exquisite detail, whatever the scene, with an incredible contrast ratio up to 600,000:1. A state-of-the-art Fujinon lens ensures stunning picture uniformity, while THX display certification and ISF certification offer the most advanced video quality. The Pro Cinema 6030UB also offers efficient setup with the widest lens shift available and a full suite of intuitive features.

### Up to 3x Brighter Colors with Epson®<sup>1</sup>


Brilliant image quality requires high color brightness (color light output), and Epson 3LCD projectors have up to 3x Brighter Colors than leading competitive projectors.<sup>1</sup>

One brightness measurement (lumens) is not enough. A projector's specification needs to show both high color brightness and high white brightness. If color brightness is lower than white brightness, images may be dark, dull and lose detail. If not provided, be sure to ask for a projector's color brightness specification.



### 3LCD — The #1 projection technology in the world

- All 3LCD projectors have both high color brightness and high white brightness
- All 3LCD projectors have 3 chips
- 25% lower power consumption for lower energy costs<sup>3</sup>
- 20 years of road-tested reliability



Actual photographs of projected images from an identical signal source. Price, resolution and white brightness are similar for both projectors (Epson 3LCD and 1-chip DLP competitor). Both projectors are set to their brightest mode.

### State-of-the-art Fujinon lens

View images the way filmmakers intended them to be seen. This intricate lens offers excellent picture uniformity and clarity across the screen. And, it provides precision focus with a 2.1x zoom ratio.

## The best-selling projectors in the world.

Built with image quality and reliability in mind, Epson high-definition projectors take home theater entertainment to a whole new level, featuring color and detail that's sure to win rave reviews from friends and family alike.



## Exquisite detail

The Pro Cinema 6030UB features:

- An incredible contrast ratio up to 600,000:1
- Super-resolution technology
  - Makes DVDs and standard and high-definition content come alive via its mixed color separation techniques and imaging simulation
  - Delivers crisp, clear images with super-high-quality resolution
  - Sharpens blurry images that have been enlarged by a general upscaling process
- Auto iris technology (for both 2D and 3D) — adjusts the aperture to provide the optimum contrast and brightness for each scene

## THX display certification

- Ideal for dedicated home theaters
- Ensures accurate picture quality — adheres to exceptional performance standards for black levels, resolution, contrast, color gamut and signal processing
- Versatile Movie Mode setting — a playback setting that lets viewers experience studio color and black levels, with few calibration adjustments



## Built-in color modes to optimize your image

Optimize your image, based on the content and setting. Choose from multiple color modes including Dynamic, Living Room, Natural, THX, and Cinema. There's even a Black-and-White Cinema Mode, which presents black-and-white movies the way they were intended to be seen. There are also 3D color modes available — for Dynamic, Cinema and THX.

## Anamorphic Widescreen Mode

The Pro Cinema 6030UB can eliminate black bars that may appear above and below an image with this special squeeze and zoom feature. It does so by converting 16:9 projected images to a cinema-style 2.35:1 aspect ratio, making it ideal for use with fixed or sled anamorphic lens systems (sold separately).




## Two rechargeable RF 3D glasses included

Enjoy 3D adventures from any seat in the house. Line of sight is not required with the included RF 3D glasses. Rechargeable for up to 40 hours of battery life<sup>4</sup>, these innovative glasses have a 3-minute quick-charge feature for up to 3 hours of battery life.



## Imaging Science Foundation (ISF) calibration and color management

- Includes specific ISF picture memory modes, such as ISF Day and ISF Night
- Critical color adjustments can be locked
- Red and Green pixels can be turned off for making adjustments without using a special filter (a Red-only mode is also provided)



## Better Products for a Better Future™

For more information on Epson's environmental programs, go to [eco.epson.com](http://eco.epson.com)




### Eco Features

- RoHS compliant
- Recyclable product<sup>5</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>6</sup>



# Pro Cinema 6030UB 2D/3D 1080p 3LCD Projector

Product Name	Product Code	UPC
PowerLite® Pro Cinema 6030UB	V11H587020MB	0 10343 90933 5
Genuine Epson Lamp	V13H010L69	0 10343 88651 3
Replacement Air Filter	V13H134A39	0 10343 88653 7



## Specifications

**Projection System**  
Epson 3LCD, 3-chip technology

**Projection Method**  
Front / Rear / Ceiling mount

**Product Color**  
Black

**Driving Method**  
Epson Poly-silicon TFT Active Matrix, 0.74-inch wide panel with MLA

**Projected Output**  
HD, 2D, 3D, 1080p

**Pixel Number**  
2,073,600 dots (1920 x 1080) x 3

**Color Brightness<sup>2</sup>**  
Color Light Output: 2400 lumens

**White Brightness<sup>2</sup>**  
White Light Output: 2400 lumens

**Aspect Ratio**  
Native 16:9 widescreen (4:3 resize)  
Compatible with 4:3 and 2.35:1 video formats with Normal, Full or Zoom Modes

**Native Resolution**  
Native 1080p (1920 x 1080)

**Resize**  
16:10, 4:3

**Lamp Type**  
E-TORL® 230 W UHE

**Lamp Life<sup>7</sup>**  
Up to 5000 hours (ECO mode)  
Up to 4000 hours (Normal mode)

**Throw Ratio Range**  
1.34 – 2.87

**Size (projected distance)**  
30" – 300" (Zoom: Wide and Zoom: Tele)

**Keystone Correction**  
Vertical: ± 30 degrees (Manual)

**Contrast Ratio**  
Up to 600,000:1

**Color Reproduction**  
Full-color (1.07 billion colors)

**Color Processing**  
Full 10-bit (Partial 12-bit)

## Projection Lens

**Type**  
Manual Focus / Optical Zoom

**F-number**  
2.3 – 3.6

**Focal Length**  
22.5 – 47.2 mm

**Zoom Ratio**  
1 – 2.1

**Lens Shift**  
Vertical: -96.3% to +96.3%  
Horizontal: -47.1% to +47.1%

**Lens Cover**  
Powered, Slide Lens Shutter

## Other

**Display Performance**  
1920 x 1080 native 1080p; HD, 2D, 3D, 2D-to-3D conversion

**Color Modes**  
2D: Dynamic, Living room, Natural, THX, Cinema, B&W Cinema  
3D: Dynamic, Cinema, THX

**Epson Cinema Filter**  
Automatically adjusts to color mode  
(On: Black & White Cinema/Natural/THX/Cinema; Off: Dynamic/Living Room/3D Dynamic/3D Cinema/3D THX)

**Auto Iris in 2D and 3D**  
Automatically adjusts to video source;  
Off/On: High-speed or Normal, 2D and 3D mode

**Super-resolution**  
2D and 3D

**Input Signal**  
Composite: NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM  
Component: 480i / 576i / 480p / 576p / 720p / 1080i / 1080p  
HDMI: TMDS

**Terminal Inputs**  
2 HDMI  
1 RS-232c (control I/O)  
1 RCA (composite)  
3 RCA (component)  
1 VGA D-sub 15 pin (computer input)

## Other (continued)

**Terminal Outputs**  
Trigger On/Off (3.5 mm stereo jack) 12 VDC 200 mA (max.)

**Computer Compatibility**  
PC, Mac®

**Operating Temperature**  
41 °F to 95 °F (5 °C to 35 °C)

**Power Supply Voltage**  
100 – 240 VAC ± 10%, 50/60 Hz

**Power Consumption**  
350 W Lamp on  
280 W Lamp on (ECO)

**Fan Noise**  
22 – 32 dB

**Security**  
Kensington Security Lock Port

## Dimensions (W x D x H)

Including feet 18.34" x 15.5" x 6.2"  
Excluding feet 18.34" x 15.5" x 5.5"  
Weight: 18.4 lb

## Remote Control

**Features**  
Front and rear directional

**Operating Distance**  
32 ft (10 m)

**Operating Angle**  
Front  
Right/Left: ± 30 degrees  
Upper/Lower: ± 30 degrees  
Rear  
Right/Left: ± 30 degrees  
Upper/Lower: + 10 – + 70 degrees

## Parental Controls

**Power Button Lock**  
Hinders projector from being turned on without parental supervision

## Support

**The Epson Connection™**  
Pre-sales support U.S. and Canada  
800-463-7766 www.epson.com

**Service Programs**  
Three-year projector/One-year 3D glasses limited warranty, Extra Care™ Home Service program, PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty

## What's in The Box

PowerLite Pro Cinema 6030UB projector, two RF 3D glasses, ceiling mount, cable cover, spare lamp, power cord, two HDMI cable clamps, remote control with AA batteries, CD-ROM with user guide link, 3D glasses charging cable, Quick Setup Guide

## Optional Accessories

Genuine Epson lamp	V13H010L69
Replacement air filter	V13H134A39
RF 3D glasses	V12H548006
Remote control	TBD
Panamorph Anamorphic Lens Kit (Fixed)	ELPFALKED
Panamorph Anamorphic Lens Kit (Sled)	ELPALK3
Belkin PureAV HDMI audio video cable – 3 ft	AV22300-03
Belkin PureAV HDMI audio video cable – 6 ft	AV22300-06
Belkin PureAV HDMI audio video cable – 12 ft	AV22300-12
Belkin Pro Series VGA / SVGA cable – 6 ft	F3H982-06
Belkin Pro Series VGA / SVGA cable – 10 ft	F3H982-10
Belkin Pro Series VGA / SVGA cable – 25 ft	F3H982-25
Kensington Security Lock	ELPSL01
Repair/Exchange 1-year extended service plan	EPPSNWHTRB1
Repair/Exchange 2-year extended service plan	EPPSNWHTRB2

1 Compared to leading 1-chip DLP Home Entertainment Projectors. Epson 720p projectors are 3x Brighter; Epson 1080p projectors are consistently 2x and up to 3x Brighter. Based on NPD data, July 2011 through June 2012. Color brightness (color light output) measured in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions.

2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

3 Data source: ProjectorCentral.com Jan. 2013. Average of 1128 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels. Energy efficiency was measured as wattage per lumen. It was measured for both 3LCD and 1-chip projectors in each of five brightness segments. 3LCD projectors averaged less required electricity per lumen in each of the five segments.

4 Battery life varies on usage conditions.

5 See our website for convenient and reasonable recycling options at www.epson.com/recycle

6 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

7 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

**Epson America, Inc.**  
3840 Kilroy Airport Way, Long Beach, CA 90806

**Epson Canada Limited**  
185 Renfrew Drive, Markham, Ontario L3R 6G3

**www.epson.com**  
**www.epson.ca**