

PowerLite® 1261W

MULTIMEDIA PROJECTOR



Brilliant high-definition performance to captivate any audience.

The PowerLite 1261W delivers the ultimate in HD performance for compelling presentations. A breathtaking widescreen, 16:10 format produces 30% more image area than lower resolution projectors, while 3LCD technology and 2800 lumens of color/white light output ¹ create brilliant color and razor-sharp detail that's sure to captivate any audience. Set up in a flash with USB Plug 'n Play instant setup, plus horizontal image correction via the innovative, user-friendly, easy-slide control bar. Get robust versatility with PC-free slideshows via USB. And, project jaw-dropping HD entertainment and media with HDMI connectivity. When you need to impress your audience and close the deal, the state-of the-art PowerLite 1261W gives you the functionality and quality to make it happen.

Super bright and colorful — 2800 lumens color light output, 2800 lumens white light output $^{\scriptscriptstyle 1}$



PowerLite® 1261W MULTIMEDIA PROJECTOR

The best-selling projectors in the world.

Epson offers a wide range of high-quality projectors to meet almost any need. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From ultraportable projectors designed for educational settings to boardroom-ready business projectors, Epson has a model that's perfect for you.



3LCD technology — for quality and color that's beyond amazing

Innovative technology with proven reliability

- 3 chips for full-time, true-to-life color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors²
- Over 20 years of road-tested reliability built into every projector






Screen Dichroic mirror Lamp Prism Dichroic mirror AlcD chips Dichroic mirror Mirror AlcD, 3-chip technology

Energy-efficient E-TORL® lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 5000 hours³
- Minimizes both light diffraction and light leakage
- E-TORL lamps maximize your presentation time, while minimizing your costs



▲ E-TORL lamp

Amazing light output

- 2800 lumens color light output and 2800 lumens white light output¹
- High color light output for bright, balanced, colorful images
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)







High color light output

Low color light output

Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.



Compact and portable design

Better Products for a Better Future

For more information on Epson's environmental programs, go to eco.epson.com



Eco Features

- Energy-efficient 3LCD light engine
- Energy-efficient E-TORL lamp
- Designed to be recycled⁴
- RoHS compliant
- Epson America, Inc. is a SmartWaysM Transport Partner⁵





- No more computer function keys or bulky VGA cables
- Just plug in a standard USB cable and instantly project video and audio from your PC or Mac®!
- Instantly view your images on both the screen and your computer; one standard USB cable does it all!
- This USB connection also enables you to maintain control over your presentation with the page up/page down function on the remote control



Fast, easy setup and control

- Instant Off® no cool-down time required, so it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- **Sleep Mode** set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- 1.2x optical zoom offers great positioning flexibility
- Direct Power On/Off power the projector on and off with the flip of a wall switch

New horizontal image correction with easy-slide control technology

Epson's horizontal and vertical image (keystone) correction means you can project a rectangular image from almost any angle. The PowerLite 1261W automatically corrects the image vertically. And for horizontal image correction, just move the easy-slide control bar to make the necessary adjustments. Your PowerLite 1261W can be off to the side and above or below the screen, while your presentation is front and center.



Without horizontal image correction



With horizontal image correction



New easy-slide image correction control bar

Features

- Rich, true-to-life color and reliable performance 3LCD, 3-chip technology
- Larger-than-life widescreen images high-definition WXGA (1280 x 800) resolution and 16:10 aspect ratio
- Super bright and colorful 2800 lumens color light output, 2800 lumens white light output1
- USB Plug 'n Play instant setup instantly projects audio and video from a PC or Mac via a USB connection
- Horizontal and vertical image correction projects rectangular images from almost any angle; just move the easy-slide control bar to make the necessary horizontal image adjustments; vertical adjustments are automatic
- HD quality with just one cable Digital HDMI audio/ video connection
- PC-free slideshows via a USB thumb drive
- Quick, convenient control Instant Off/On, Sleep Mode (A/V Mute), Direct Power Off/On
- The ultimate in portability compact, lightweight design; carrying case and remote control included
- Energy-efficient E-TORL lamp up to 5000-hour lamp life³
- Filters to protect your investment with easy side access for hassle-free maintenance

Brilliant widescreen performance



Featuring WXGA resolution, the PowerLite 1261W is ideal for use with the latest-generation widescreen computers, and for projecting high-definition content. Its native 16:10 aspect ratio allows you to fully utilize the capabilities of your widescreen computer, giving you:

- 30% more image area than a 4:3 image
- 10% more image area than a 16:9 image

The PowerLite 1261W still allows you to display 4:3 and 16:9 content without losing image quality.

SVGA



800 x 600 Meets basic projection needs

1024 x 768 Ensures sharper




1280 x 800 Offers the highest quality and is ideal for widescreen (16:10) display



PowerLite® 1261W

Multimedia Projector

Product Name Product Code PowerLite 1261W projector (U.S.) 0 10343 88419 9 V11H428320 Genuine Epson Lamp V13H010L67 0 10343 88423 6 Replacement Air Filter V13H134A32 0 10343 88586 8



Specifications

Projection System

Epson 3LCD, 3-chip technology

Projection Method

Front/rear/ceiling mount

Driving Method

Epson Poly-silicon TFT Active Matrix

Pixel Number

1.024.000 dots (1280 x 800) x 3

Color Light Output¹

2800 lumens

White Light Output¹

2800 lumens (ISO 21118 standard)

Aspect Ratio

Native Resolution

1280 x 800 (WXGA)

Resize

640 x 480 (VGA), 1024 x 768 (XGA), 1152 x 864 (SXGA1), 1280 X 960 (SXGA2), 1280 X 1024 (SXGA3) 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1400 x 1050 (SXGA+), 1600 x 1200 (UXGA), 1680 X 1050 (WSXGA+)

Lamp Type

200 W UHE

Lamp Life³

Up to 5000 hours (ECO Mode) Up to 4000 hours (Normal Mode)

Throw Ratio Range

1.30 - 1.56 (16:10) 1.56 - 1.87(4:3)1.30-1.56 (16:9)

Size (projected distance)

33" - 318" (0.9 - 9.0 m)

Keystone Correction Automatic

Vertical ± 30 degrees

Keystone Correction Manual Horizontal ± 30 degrees (easy-slide)

USB Plug 'n Play

Projects audio and video PC and Mac compatible

Contrast Ratio

Up to 3000:1

Color Reproduction

16.77 million colors

Projection Lens

Manual zoom/Manual focus

F-number

1.58 - 1.72

Focal Length

16.9 mm - 20.28 mm

Zoom Ratio

Optical zoom 1.0 - 1.2

Other

Display Performance

NTSC: 480 lines PAL: 560 line (depends on observation of the

multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/ SECAM

Interfaces

Computer/component video: D-sub 15 pin x 1

S-video: Mini DIN x 1 Composite video: RCA (Yellow) x 1 Audio in: RCA x 2 (White/Red) USB connector: Type B x 1 USB connector: Type A x 1 (USB memory)

Speaker

1 W (mono)

Operating Temperature

41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage

100 - 240 V ±10%, 50/60 Hz

Power Consumption

283 W

0.4 W Power off

Fan Noise

37 dB (Normal Mode) 29 dB (ECO Mode)

Security

Kensington®- style lock provision Padlock and security cable hole Password protect function

Dimensions (W x D x H)

Including feet: 11.6" x 9.0" x 3.1" Excluding feet: 11.6" x 9.0" x 3.0" Weight: 5.1 lb/2.3 kg

Remote Control

Source search selection, HDMI, slideshow, USB display, power, aspect, color mode, volume, e-zoom, A/V mute, freeze, menu, page up and down, help, auto, mouse functions, ID

Operating Angle

Right/left: ± 30 degrees Upper/lower: ± 15 degrees

Operating Distance

19' (6 m)

Support

The Epson Connection^{s™}

Pre-sales support U.S. and Canada 800-463-7766 Internet website www.epson.com

Service Programs

Two-year projector limited warranty, Epson Road Service program, EPSON® PrivateLine® dedicated toll-free support and 90-day limited lamp warranty

Contents

PowerLite 1261W projector, power cable, computer cable (VGA), USB cable, soft carrying case, projector remote control, batteries, user manual CD. Quick Setup Sheet. PrivateLine support card, registration card and password protection sticker

Accessory Part Numbers

Universal projector ceiling mount Component to VGA video cable Soft shoulder case for projector

and laptop ELPKS16B 50" portable screen ELPSC06 80" portable pop-up screen ELPSC08 ELPSC80 Duet™ screen ES1000 screen V12H002S4Y V12H002S3Y ES3000 screen

Epson DC-06 USB document camera Kensington security lock

ELPDC06 ELPSL01

ELPMBPJF

FI PKC19

Packaging Specifications

PowerLite 1261W

Dimensions: 14.4" x 13.3" x 6.1" (W x D x H) Weight: 8.9 lb

Genuine Epson Lamp

Dimensions: 6.3" x 5.6" x 5.6" (W x D x H) Weight: 0.7 lb Master Carton Dimensions: 28.4" x 13.1" x 6.8" (W x D x H) Weight: 9.3 lb Units Per Master Carton: 10

Replacement Air Filter

Dimensions: 4.8" x 3.5" x 1.9" (W x D x H) Weight: 0.1 lb Master Carton Dimensions: 10.1" x 7.3" x 5.7" (W x D x H) Units Per Master Carton: 10

Eco Features

- . Energy-efficient 3LCD light engine
- Energy-efficient E-TORL lamp
- Designed to be recycled⁴
- RoHS compliant
- Epson America, Inc. is a SmartWay^{sм} Transport Partner

- Color and white light output will vary depending on mode selected. White light output measured using ISO 21118 standard.
- Data source: ProjectorCentral.com Jan 2011. Average of 1038 shipping models for which manufacturers provided lumens and total power data, all resolutions and brightness levels.
- Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time
- See our website for convenient and reasonable recycling options at www.epson.com/recycle
- SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. Epson, E-TORL, Instant Off and PowerLite are registered trademarks, Epson Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine is a registered trademark, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks Copyright 2011 Epson America, Inc. CPD-34876 7/11