

ELMO

BOXi

MOBILE PROJECTOR



<http://boxi.elmoglobal.com/>
Mobile Projector BOXi


MP-350

Actual size

A New Product from ELMO
Drive your point across with vivid communication

BOXi

MOBILE PROJECTOR



Features of the BOXi Mobile Projector

- Real Projection** True Color Reproduction
BOXi's specially developed LED optical engine provides true color reproduction, creating a superior high speed video experience.
- Short Focus** Short Focus - Space Saving
Project a 50" image with only 3.3' of throw distance allowing for high flexibility for both business presentation and home theatre applications.
- Mobile & Light** Compact and Light Weight
Weighing only 1.1 lbs and as compact as a lunch box at 5.2"x5.6"x1.7". Easily carry BOXi anywhere in a brief case or tote bag.
- Quiet** Silent Design
The quiet engineering of BOXi allows for important meeting and presentations to be conducted without disruption.
- Quick & Easy** Simple to use
Project an image only seven seconds after powering on^{*1}. The included case acts as a mount which makes setup a breeze.
- Long Life & Eco** Low Maintenance
With a life of 20,000 hours, the LED lamp can be run for eight hours a day for 2,500 days (approx. 6.8 years). It's great as an industrial display as well.
- WiFi** Wireless Presentations
Wireless presentations are possible using the computer APP *BOXi Play* or the iPhone® and iPad® iOS App *BOXi Air*. Conduct a stylish presentation.


*1 Except when using WiFi or USB memory.


USB memory slot


On Business

ENHANCE YOUR BUSINESS

BOXi
MOBILE PROJECTOR

In an office... 

On the go... 

Showrooms or events 


At a shop, bar or restaurant 

For discussion and meetings




A fully equipped meeting room is not necessary with BOXi. The BOXi sets up in a snap and allows you to make quick and easy presentations, anytime and anywhere.

For business presentations



Bring the power of flexibility to your presentation with a smartphone or tablet. With BOXi's built in WiFi say goodbye to bulky cables.

For a quick presentation



With BOXi, even the most unconventional locations become a perfect setting for a presentation.

For commercial display




BOXi is ideal for commercial usage, with low integration and maintenance cost BOXi is perfect for sports bars or digital signage.


On Personal

USE BOXi AT HOME OR OUTDOORS

40dB Enjoy your favorite movie or shows on a large screen.




Turn your everyday space into a 68" home theater. BOXi is great for gaming too!






Even in a small room, BOXi can produce an image from 25" to 68".

Enjoy outdoor family theater



Share your photos from the day, and then enjoy a movie under the stars. BOXi adds excitement to your outdoor life.

Choose from three display modes		
	Cinema and Game mode	Project images of movies and games beautifully
	Photo mode	Project photos and graphical images naturally
	Presentation mode	Project text and graphs clearly

Choose a mode suitable for your purpose and requirement

Wireless function

WiFi x Computer

Dedicated App *BOXi Play* allows you to project images from computer wirelessly. Up to 4 images from 4 computers can be projected simultaneously.

BOXi Play can be downloaded for free from BOXi special website:
<http://boxi.elmoglobal.com>



WiFi x iOS^{*2}

Dedicated App *BOXi Air* allows you to use your iPhone® and iPad® for your presentations.

BOXi Air can be downloaded for free in the AppStore



*2 Compatible with iPhone® and iPad®
iPhone and iPad are trademarks of Apple Inc.

Easy presentation

Present without a computer

Plug your USB drive into the BOXi, and project Word®, Excel®, PowerPoint® and PDF files.


	Compatible file formats and versions	
Movie	Cinema and Game mode	AVI, MOV, MP4 Movie codec:H.264 Audio codec:MPEG Audio Layer3 (MP3) <small>*Suggested bit rate: 3Mbps or lower</small>
	Photo mode	MPEG Movie codec:MPEG1 Audio codec:MPEG Audio Layer3 (MP3) <small>*Suggested bit rate: 3Mbps or lower</small>
Photo		JPEG, BMP
Office file		Microsoft Word® 97, 2003, 2007, 2010 Microsoft Excel® 97, 2003, 2007, 2010 Microsoft PowerPoint® 97, 2003, 2007, 2010 Adobe PDF:1.0-1.4

Images displayed via USB may differ from images displayed on computer. Please refer to the BOXi website (<http://boxi.elmoglobal.com/>) for instructions and directions for use.

BOXi Accessories (Optional)


BOXi Screen

L size/S size




L size: W18.8" x H12.8" / S size: W14.3" x H9.8"
Screen stand is included.

Mobile Screen 40"



Size: W31.8" x H24"
Soft carrying case is included.

Carry Bag



Size: W16.7" x D3.1" x H11.8

BOXi Specification

Item	Specification	
Radiation Performance	Brightness	300 lm
	Contrast Ratio	10,000:1 Our standard of measurement*
	Resolutions	WXGA 1,280x800
	Aspect Ratio	16:10
	Uniformity	80%(JBMIA)
	Lens	F=2.0 f=9.05mm
	Focus	Manual
I/O	WiFi	IEEE802.11b/g/n
Input Signal System	RGB Signal Input	VGA (640 x 350) - WSXGA+ (1680 x 1050)
	HDMI Input	480i/p, 576i/p, 720p, 1080i/p Supported HDCP
Weight	1.1lbs (main unit only)	

Comparison of the maximum white illuminance and minimum black illuminance of the projection system.

Check! → **BOXi special website**

For more information, go to <http://boxi.elmoglobal.com/>

- ELMO, ELMO BOXi are trademarks of ELMO COMPANY, LIMITED.
- XGA, WXGA, SXGA are trademarks of International Business Machines Corporation.
- HDMI is a trademark of HDMI Licensing LLC.
- This product is licensed by AVC Visual Patent Portfolio License (here in after AVC) and permitted to use only for personal and non-profit purposes.
 - (1) When playing AVC Video recorded for personal and non-profit purposes.
 - (2) When playing AVC Video provided by provider licensed by MPEG-LA, LLC.
 - (3) Contact MPEG-LA, LLC for usage of promotion and commercial purposes.
- Other brand names and product names may be trademarks or registered trademarks of their respective owners.
- Design and specification are subject to change without prior notice.

Item	Specification
Noise level	Noise (FAN) 47dB (Eco mode OFF: presentation mode) 40dB (Eco mode ON)
Power	AC adapter 100 - 240V, 50 - 60Hz
	Consumed power 65.4W (Eco mode OFF) 35W (Eco mode ON)
Environmental performance	Operation Temperature 5 - 35 °C
	Operation Humidity 85% (maximum)
	Storage Temperature -20°C - +60°C
	Storage Humidity 90% (maximum)

System Requirement for APP (BOXi Play)

Item	Specification	
Windows	CPU	Dual Core 1.8 GHz or higher (excluding Atom processor)
	Graphic Adaptor	nVIDIA or ATI graphic card with 64MB VRAM or above
	Operating System	Windows Vista (32-bit, 64-bit), Windows 7 (32-bit, 64-bit)
	WiFi	IEEE 802.11n
Mac	CPU	Intel® Dual Core 1.4 GHz or higher (PowerPC not supported)
	Graphic Adaptor	nVIDIA or ATI graphic card with 64MB VRAM or above
	Operating System	Mac OS X 10.5 or higher
Recommended Models	MacBook® 5.2 or higher All series of MacBook® Pro MacBook® Air 3.1 or higher	

ELMO's Helping to Provide a Greener Future for Our Children

This ELMO product complies with RoHS Directive 2002/95/EC (Restriction Of the use of certain Hazardous Substances in electronic equipment). This compliance helps to ensure a healthier and greener environment for all our children.



JCV Japan Committee Vaccines for the World's Children

ELMO CO., LTD. is one of the sponsors for Japan Committee Vaccines for the World's Children (JCV).

JCV operates under basic guidelines and objectives of the Children's Vaccine Initiative (CVI) founded in 1990 by UNICEF, WHO, UNDP, the Rockefeller Foundation, and the World Bank.



ELMO CO., LTD.

6-14, Meizen-cho, Mizuho-ku
Nagoya, 467-8567, Japan
E-mail : overseassales@elmo.co.jp

ELMO (Beijing) Co., Ltd.

Room 1002, 10F, Build 5, Wanda Plaza,
No. 93, Jianguo Road, Chaoyang District,
Beijing 100022, P.R. China
Tel. +86 10 5960 3685
Fax. +86 10 5960 3424

Distributed by

ELMO USA Corp.

Headquarters
1478 Old Country Road
Plainview, NY 11803 U.S.A.
Tel. +1 (516) 501 1400
Fax. +1 (516) 501 0429
E-mail : elmo@elmousa.com
Web : <http://www.elmousa.com>

West Coast Branch
5676 Corporate Avenue
Cypress, CA 90630 U.S.A.
Tel. +1 (714) 828 8457
Fax. +1 (714) 828 8429

ELMO Europe SAS

Headquarters
Immeuble Elysées La Défense,
7C Place du Dôme,
92056 Paris La Défense, France
Tel. +33 (0)1 73 02 67 06
Fax. +33 (0)1 73 02 67 10
E-mail : info@elmo-europe.fr
Web : <http://www.elmo-europe.fr>

German Branch
Hansaallee 201, Haus 1
40549 Düsseldorf
Germany
Tel. +49 (0) 211 544756 40
Fax. +49 (0) 211 544756 60
E-mail : info@elmo-germany.de
Web : <http://www.elmo-germany.de>



This brochure is printed on recycled paper with environmentally friendly vegetable oil-based ink.

Printed in Japan (O) 10/2012