


Key **Features**

5,200 Lumen Brightness | Vertical Lens Shift with Centered Lens | PortAll®: Discreet Wireless Streaming | 4 HDMI Inputs



Product **Description**

Delivering stunning WUXGA 1920x1200 resolution and 5200 lumens of brightness, the ViewSonic LightStream Pro8800WUL is the ideal projector for professional installations, large venues, and business and education environments. With its 1.6x optical zoom, centered lens, vertical lens shift, and HV keystoning, the Pro8800WUL provides extreme flexibility even in the most challenging installations. Pro8800WUL includes a sleek top cover design for quick lamp and accessory access, while an intuitive PortAll® compartment accommodates additional accessories such as an HDBT receiver, wireless streaming device, or PC stick. The cable management hood hides unsightly cables, and a 4-in-1 power button serves as a central point for LED notifications. Moreover, four HDMI ports and additional audio and video ports allow for extensive connectivity to handle multiple devices without the $need \ to \ switch \ cables. \ Powered \ by \ SuperColor^{\texttt{m}} \ technology \ for \ a mazing \ images, \ and \ Sonic Expert^{\texttt{o}} \ technology \ for \ incredibly \ clear \ sound, \ the$ Pro8800HDL delivers professional audiovisual performance.





5.200 **RESOLUTION LUMENS**



1.07~1.71:1 **THROW RATIO**

call: 888.881.8781 **Contact Sales** — email: salesinfo@viewsonic.com visit: viewsonic.com

Display:

Display:	
Type:	DLP
Resolution Type:	WUXGA
Resolution:	1920 x 1200
Brightness (ANSI Lumens):	5,200
Throw Distance:	2.26~36.25 ft / 0.69~11.05 m
Throw Ratio:	1.07~1.71:1
Display Size (in.):	30 - 300 in. / 0.76 - 7.62 m
Keystone:	Vertical (± 30°) / Horizontal (± 30°)
Lens:	1.6x Manual optical zoom / manual optical focus
Light Source (watt):	370
Light Source Life, Normal (hours):	2000
Light Source Life, Dynamic Eco- Mode (hours):	2500
Color Depth:	30 bits, 1.07B Color (10+10+10)
Aspect Ratio:	16:10
Lens Shift:	Vertical (+/-2.5 - 5%)
Video Signal:	
Frequency Horizontal:	15-100kHz
Frequency Vertical:	24-120Hz
Compatibility:	
PC Resolution (max):	1920x1200
Mac® Resolution (max): Connector:	1920x1200

Connector:

Humidity (non-condensing):

Ethernet LAN (RJ45)(1), 3.5mm 12V Trigger(1), 3.5mm Audio Out(1), 3.5mm Audio In(3), Control (R5232)(1), HDMI 1.4(3), HDMI MHL(1), VGA In(2), VGA Out(1), Composite RCA Video In(1), S-Video In(1), Micro USB(1), RCA Audio In (L/R)(1), 3D VESA(1), Wired Remote Out(1), 5-BNC(1)

Audio:	
Internal Speakers:	10W (x2)
Power:	
Voltage:	100~240VAC (Auto Switching), 50-60Hz (universal)
Consumption (max):	574W
Stand-by:	<0.5W
Controls:	
Physical Controls:	Display, Image, Power Management, Basic, Advanced, System, Information
On Screen Display:	Power, lens shift, focus, zoom, keystone/arrow keys, left/blank, right/panel key lock, menu/exit, mode/enter, source
Operating Conditions:	
Temperature:	41-104° F (5-40° C)

10-85%

Additional Hardware:

Additional Hardware:	
Kensington Lock Slot:	1
Weight (imperial):	
Net (lbs):	13.89
Gross (lbs):	23.81
Weight (metric):	
Net (kg):	6.3
Gross (kg):	10.8
Dimensions (imperial) (WxH	xD):
Packaging (in.):	22.72 (W) x 21.14 (D) x 10.24 (H)
Physical (in.):	19.55 (W) x 12.45 (D) x 5.50 (H)
Dimensions (metric) (WxHxD	D):
Packaging (mm):	577 (W) x 537 (D) x 260 (H)
Physical (mm):	496.5 (W) x 316.24 (D) x 139.8 (H)
General:	
Regulations: EAC THV-S Mark(Ar	gentina) India RIS ECC CE EMC CR CCC

Regulations: EAC, TUV-S Mark(Argentina), India BIS, FCC,CE EMC, CB,CCC, ROHS, REACH, SVHC, WEEE, ErP, Mexico NOM, cTUVus, RCM, CECP

PACKAGE CONTENTS: Pro8800WUL projector, power cable, VGA cable, laser remote control with batteries, Quick Start Guide, ViewSonic Wizard CD (with User Guide)

Warranty: Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service**

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

UPC: 766907830118

Accessories:

HB10B, PGD-350, PJ-WMK-006, RLC-103, VIEWSTICK2, VIEWSYNC3

Copyright © ViewSonic Corporation 2000-2017. All rights reserved. (11/06/2017 08:21 PM PST)