

SONY

VPL-VW350ES

Sony 4K Home Theater ES Projector

Get the clarity of Sony's SXR™ 4K movie theater technology in a brand new 4K Ultra HD projector with greater than 4x 1080p resolution, anamorphic 3D, and HD to 4K upscaling. With additional installation flexibility you can experience immersive 4K media in an array of rooms. Only from Sony.



Bullets

- 4K resolution—4096x2160. That's greater than 4 times 1080p
- HD to 4K upscaling turns your HD content into a 4K experience
- HDMI® 2.0 compatible for 4K resolution at up to 60 frames per second
- Brightness of 1,500 ANSI lumens
- Built in RF emitter for 3D viewing
- Auto Calibration function
- Flexible installation—2.1x motorized zoom, 85%(v)/31%(h) motorized shift and 1.38-2.83 throw ratio
- Full immersion on larger screens and up close viewing
- 3-year limited warranty

Features

A home theater experience for a wider audience

Features the same technology and resolution found in high-end, professional 4K movie theaters, providing an astonishingly immersive home theater experience. 4K resolution is 4096 x 2160 pixels. That's more than 4 times 1080p. Add 1,500 ANSI lumen brightness, and Deep Color support and the VPL-VW350ES pulls you into your favorite TV, sports and movies like no HD home theater projector you've ever experienced.

Recommended for up to a 150" screen

Because the VPL-VW350ES has such high resolution and brightness, you can install a 150" screen and still experience an astonishingly crisp and bright picture in 2D. (Up to 120" if you want to use 3D.)

Enjoy your favorite 1080p HD movies and shows in 4K

Watch your favorite HD movies and television shows in 4K with Super Resolution upscaling. Sony's proprietary Reality Creation algorithm makes your best video content look better than ever before. And Sony's proprietary "Mastered in 4K" algorithm faithfully reproduces specially prepared movies to match the original 4K images.

Integrate into virtually any home environment

Installing the VPL-VW350ES is easy with its motorized lens, 85%(v)/31% (h) motorized shift and wide throw distance range. Having a front air intake and exhaust allows the VPL-VW350ES to be positioned near a wall without having to worry about cooling issues. Access to the lamp through a panel on top of the unit allows lamp changes without un-mounting the projector.

Immersive, vibrant picture for any environment

By simply choosing the appropriate preset, the VPL-VW350ES's 1,500 ANSI lm brightness and Deep color can be adjusted for the ideal picture quality in any environment—whether gaming or watching sports in a lit room, or enjoying movies in a dark theater.

Watch 2D high-definition content in 3D

SONY

Add a new dimension to your favorite movies, shows or videos with Sony's unique 2D to 3D upconversion algorithm, allowing high definition 2D content connected via HDMI® to be viewed in immersive Sony 3D even in 4K.²

Whisper-quiet fan

Forget that the projector is even in the room. Due to the VPL-VW350ES's advanced air discharge system.

Integrated RF 3D Sync Transmitter

No need to wire an external 3D emitter. The built in RF emitter can adequately cover your home theater space and features industry standard technology that allows for the use of Sony TDG-BT500A or compatible 3rd party 3D glasses.

Smoother, sharper motion

Enjoy smooth, sharp motion with Sony's Motionflow™ technology with Dark Frame Insertion and 24p True Cinema technologies.

3-year limited warranty

Rest assured that Sony has you covered. All Sony Elevated Standard (ES) projectors enjoy 3-year limited warranties, including a special tech support hotline in case you run into any problems.

Specifications

3D Features		
3D Features	2D to 3D Conversion	Yes
	3D Glasses Brightness Adjustment	2 Modes, Standard and High
	Digitally Driven Panel	Yes
	Effect Adjustment(s)	Yes
	Format(s)	Frame Packing/ Side by Side/ Over-Under/Simulated 3D/ESPN 3D format/ 720p / 60 SBS
	Signal	(HDMI inputs only) 1080:24p/60p/50p/60i/50i ; 720:60p/50p
	Simulated 3D	Yes
Convenience Features		
Convenience Features	BRAVIA® Sync™	Yes
	Image Flip	HV, H, V, Off
	IR Receiver	Front & Rear, Front, Rear
	Multiple Language Display	15 languages (including English, French, Spanish, German and Chinese)
	Power Save Mode	Yes
	Remote Control	Yes (RM-PJ28)
	Test Pattern	Yes
Display		
Display	Native Resolution	4K - 4096 x 2160
	Screen Size	60"-150" recommended
	Aspect Ratio	17:9
	Display Resolution	4096 x 2160 (Full 4K)
Display Features		
Display Features	Display Technology	SXRD™ Technology
General		

General	Integration Partner	Yes (Control4 SDDP, AMX Device Discovery, Crestron Connected, Savant Partner in Excellence, RTI & URC)
	Lens	14 element with aspheric front element
	Projection Picture Size	60" to 150" measured diagonally
General Features		
General Features	Acceptable Computer Signals	fH: 19 to 72 kHz, fV: 48 to 92 Hz, fV: 60 Hz
	Information Menu	Horizontal and Vertical frequency display
	Input A	D-sub 15 Pin, Analog RGB/Component
	Lens Control	Motorized focus, shift and zoom
	Standby Mode	Yes
Inputs and Outputs		
Inputs and Outputs	12V Trigger Output(s)	Mini Jack - Power On: DC 12V, output impedance: 4.7 kilohms Power Off: 0V (Two, selectable power / anamorphic zoom.)
	HDMI™ Connection(s) (Total)	2 (Side) Digital RGB/Y/Cb(Pb)Cr(Pr)
	IR Input(s)	1 (Side)
	Remote Network Connection(s)	1 (Side) RS-232C: D-sub 9-pin (female)
	RS-232C Input(s)	Yes
	RS232 Control	Yes
Optional Accessories		
Optional Accessories	Optional Accessories	Ultra High Pressure Replacement Lamp (LMP-H230)
Accessories		
Accessories	Supplied Accessories	Remote Control (RM-PJ28) Instruction Manual AC Cord Size AA batteries x 2 Lens Cap
Service and Warranty Information		
Service and Warranty Information	Limited Warranty Term	Product Warranty - Limited 3 Years Parts and Labor except the lamp. Lamp Warranty - 90 Days from date of purchase.
TV System		
TV System	Color System	Auto, NTSC, PAL, SECAM
Video		
Video	Brightness	1500 Lumens
	Contrast Ratio	N/A
	Deep Color	Yes
	Picture Modes	9 modes
	Video Calibration Settings	10 Gamma Modes, HSV adjust by color, Custom Color Space
Video Features		

SONY

Video Features	3D Anamorphic	Yes, via picture position or external lens
	4K resolution upscaling	Yes - 3840 x 2160 (QFHD)
	Acceptable Video Signals	Composite video, Y/C video, 15 kHz (RGB/Component) 50/60Hz; Progressive component 50/60 Hz; DTV (480/60i, 480/60p, 575/50i, 575/50p, 720/50p, 720/60p, 1080P24sF(48i), 1080/50i, 1080/50p, 1080/60i), HDMI inputs only: 1080/60p, 1080/24p
	Deep Color	Yes
	Film Mode	Yes
	Lens Shift Function	Yes +85%/-80%(v), 31%(h)
	Motionflow™ Technology	Yes (120 Hz with Dark Frame Insertion)
	Pixel Alignment	Yes, 1/10" Pixel increments, 153 zones
	Title Area Control	Yes
	Vertical Position	Yes
	Video Processing	Optional
	Wide Mode	Yes
	x.v.Color™ Technology	Yes
	Color Space	Supports sRGB (Rec 709)
	Weights and Measurements	
Weights and Measurements	Dimensions (Approx.)	19 1/2 in x 18 1/4 x 7 31/32 in (49.6 x 46.4 x 20.2 cm)

1. Requires 3D content, 3D player, 3D glasses, and HDMI® cable (at least 10.2 Gbps).

2. Simulated 3D image will vary based on source content.

3. Ethernet connection required. Fees may apply for 4K networked video service.

4. 60p display based on 4:2:0 source.

© 2013 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice.

Sony, the Sony make.believe logo, SXR, and Motionflow are trademarks of Sony. HDMI is a trademark of HDMI Licensing LLC. All other trademarks are trademarks of their respective